



NOMENCLATURE: PLATFORM, AIRDROP, TYPE V, 108 INCH

DESCRIPTION: The 108 inch Type V airdrop platform is a modular component constructed, aluminum extrusion structure used for airdropping loads ranging from 2,500 lb. to 42,000 lb. from aircraft having the 463L-standard dual rail restraint systems. (60,000 lb. have been dropped using large aircraft.) A vented version is used to drop loads onto water. This platform is LAPES qualified.

| 8 FT. | NSN: 1670-01-530-0984 | P/N: 11-1-2780-1 |
|--------|-----------------------|------------------|
| 12 FT. | NSN: 1670-01-530-0985 | P/N: 11-1-2780-2 |
| 16 FT. | NSN: 1670-01-530-0986 | P/N: 11-1-2780-3 |
| 20 FT. | NSN: 1670-01-550-6787 | P/N: 11-1-2780-4 |
| 24 FT. | NSN: 1670-01-550-6786 | P/N: 11-1-2780-5 |
| 28 FT. | NSN: 1670-01-550-6788 | P/N: 11-1-2780-6 |
| 32 FT. | NSN: 1670-01-550-6789 | P/N: 11-1-2780-7 |
| | | |

^{*}Vented platform assemblies use same part number as nonvented

Platform Assembly Weights (approximate):

Load Capacity:

| 8-ft | 820 lb. | Low Velocity Airdrop (LVAD): 2,500 - 42,000 lb. |
|-------|-----------|--|
| 12-ft | 1,220 lb. | |
| 16-ft | 1,590 lb. | Low Altitude Parachute Extraction System (LAPES): 6,700 - 42,000 lb. |
| 20-ft | 1,950 lb. | |
| 24-ft | 2,280 lb. | |
| 28-ft | 2,820 lb. | |
| 32-ft | 3,056 lb. | |

Note: Weights Include Platform Assembled with: Four Each Tandem, Or Suspension Links One Each Extraction Bracket
One Nose Bumper No Tiedown Clevises Included.

APPLICABLE MILITARY SPECIFICATION/STANDARD: (NONE)

(Previous specification MIL-P-44115 was cancelled.)

APPLICABLE MILITARY TECHNICAL REFERENCE: TM 10-1670-268-23&P / TO 13C7-52-22 FM 4-20.102 / TO 13C7 1-5

AVITEC Sp. z o. o. NIP: 6112769246 Contact: ul. Wincentego Pola 35A REGON: 365522922 +48 75 64-13-311 58-500 Jelenia Góra KRS: 0000634315 +48 75 64-13-319 office@avitec.pl